

# DH-PFS3005-4ET-36

## 4-Port PoE Switch (Unmanaged)



### Features

- Two-layer PoE Ethernet switch
- MAC auto study and aging, MAC address list capacity is 1K
- Support IEEE802.3af, IEEE802.3at standard
- Conform IEEE802.3, IEEE802.3u and IEEE802.3X standards

### Technical Specification

DH-PFS3005-4ET-36 is layer-2 PoE Ethernet switch. It can reach lightning protection level 3. The device can support up to 4 PoE ports (The total PoE power is 36W). In order to acquire smooth monitoring, it's recommended to connect max 4 IP cameras at a bit rate of less than 4Mbps respectively.

### Technical Specification

Model	DH-PFS3005-4ET-36
Ethernet Port	1*10/100 Base-T 4*10/100 Base-T (PoE power supply)
PoE Power Consumption	Each power ≤30W, Totals≤36W
PoE Protocol	IEEE802.3af, IEEE802.3at
Switching Capacity	1Gbps
Packet Forwarding Rate	744Kpps
Packet Buffer Memory	448Kb
MAC Table Size	1K
Flow Control	Enable by default
Application Humidity	10%~90%
Power	Input AC100~240V
Lightning Protection	Common Mode 2KV Differential Mode 1KV
Working Temperature	-20°C ~ +55°C
Weight	0.5kg
Dimension(W×D×H)	170mm×100mm×35mm

### Dimensions (mm)

